



HARPER — "BRIEF-LOG" — WELDING CYLINDER TRUCKS

The Cylinder Trucks shown in this HARPER "Brief-Log" are designed to give maximum utility to the users of gas welding processes. The trucks are of all welded steel construction assuring maximum strength and long life. HARPER Trucks roll easily, have good balance and protect valuable welding equipment as well as provide safety to life and property. All trucks are finished in a glossy HARPER Green Enamel.

HARPER'S truck numbering system is a combination of the **SERIES 100 - 140 UNI-HANDLE**



No. 106-22




No. 108-23



No. 110-15



No. 140-71



No. 141-70



No. 142-60

Series 100 and 140 Uni-Handle Trucks are the most popular small and medium cylinder models. Ideal for small shops, farm shops and garages having hard surfaced floors. Feature semi-pneumatic tired wheels with ball bearings, combination lift ring and hose support and cylinder hold chain. Series 140

Truck Series Number and the Wheel Number. The first three digits of the truck model number indicate the truck series; the last two digits are the number of the wheel. Example: Truck Model No. 106-22 is in the 100 Series and has No. 22 Wheels. Prices shown in this "Brief-Log" are net to the consumer, F.O.B. Factory, Wichita, Kansas. Your local stocking Distributor will normally add the freight from factory to his point of distribution.

are Deluxe Models with handle bars equipped with hand grips; have rod holder tubes and heavy duty wheels. All models equipped with tool box except No. 106-22. No. SO-1 Slip-On Tool Box available for No. 106-22.

SPECIFICATIONS AND PRICES

Truck No.	Wheel Diameter and Type	Combined Cylinder Diameter Capacity	Base Plate Dimension	Height	Width	Weight	Consumer Price F.O.B. Factory
106-22	6" x 1.5" Semi-Pneu., B.B.	15 1/2"	7" x 15"	39 1/2"	18 1/2"	13 lbs.	\$11.50
108-23	8" x 1.75" Semi-Pneu., B.B.	16 1/2"	8" x 17"	45 "	21 1/2"	21 lbs.	17.00
110-15	10" x 1.75" Semi-Pneu., B.B.	16 1/2"	8" x 17"	45 "	21 1/2"	26 lbs.	21.50
140-71	6" x 1.5" Semi-Pneu., B.B.	15 1/2"	7" x 15"	38 1/2"	18 1/2"	17 1/2 lbs.	15.75
141-70	8" x 1.75" Semi-Pneu., B.B.	16 1/2"	8" x 17"	45 1/2"	21 1/2"	24 lbs.	19.50
142-60	10" x 2.75" Semi-Pneu., B.B.	20 "	9" x 20"	45 1/2"	26 1/2"	35 1/2 lbs.	27.00


SERIES 300 CONTINUOUS HANDLE



No. 312-26



No. 314-27



No. 316-72



No. 324-32


Series 300 Continuous Handle Trucks are for large cylinders. They are the accepted standard in the welding industry. Available with large steel wheels, semi-pneumatic or pneu-

matic tired ball bearing wheels. Equipped with tool box and cylinder hold chain. Good floor clearance.


SPECIFICATIONS AND PRICES

Truck No.	Wheel Diameter and Type	Combined Cylinder Diameter Capacity	Base Plate Dimension	Height	Width	Weight	Consumer Price F.O.B. Factory
312-26	12" x 3" Semi-Pneu., B.B.	23"	13" x 24"	45 3/4"	31 "	55 lbs.	52.00
314-27	14" x 2" Semi-Pneu., B.B.	23"	13" x 24"	45 3/4"	31 "	55 lbs.	35.50
316-72	16" x 4" Pneumatic (tube) B.B.	23"	13" x 24"	45 3/4"	35 "	57 lbs.	66.00
318-31	18" x 2 1/2" Steel, Plain	23"	13" x 24"	45 3/4"	31 1/2"	56 lbs.	29.00
324-32	24" x 2 1/2" Steel, Plain	23"	13" x 24"	45 3/4"	31 1/2"	64 lbs.	32.50
330-33	30" x 2 1/2" Steel, Plain	23"	13" x 24"	45 3/4"	33 "	76 lbs.	48.50

SERIES 800 - 850 TANDEM CYLINDER MOUNT



No. 810-15




No. 810-60




No. 840-60



No. 840-17



No. 850-11



No. 850-11-41


Series 800 and 850 HARPER Trucks are favored by those who prefer tandem mounting of the cylinders. Excellent for narrow aisles or crowded shop conditions. Cylinders

load front and back on Series 800; side load on Series 850. Equipped with cylinder hold chain; No. SO-1 Slip-On Tool Box can be attached as an extra.

SPECIFICATIONS AND PRICES

Truck No.	Wheel Diameter and Type	Combined Cylinder Diameter Capacity	Base Plate Dimension	Height	Width	Weight	Consumer Price F.O.B. Factory
810-15	10" x 1.75" Semi-Pneu., B.B.	9" Maximum	10 1/2" x 17"	48 1/2"	14 1/2"	30 lbs.	24.50
810-60	10" x 2.75" Semi-Pneu., B.B.	9" Maximum	10 1/2" x 17"	48 1/2"	16 1/2"	33 lbs.	27.50
810-17	10" x 3.4" Pneumatic (tube) B.B.	9" Maximum	10 1/2" x 17"	48 1/2"	18 "	33 lbs.	44.00
840-60	10" x 2.75" Semi-Pneu., B.B.	10 3/4" Maximum	12" x 20 1/2"	48 1/2"	22 1/2"	42 lbs.	34.50
840-17	10" x 3.4" Pneumatic (tube) B.B.	10 3/4" Maximum	12" x 20 1/2"	48 1/2"	22 1/2"	42 lbs.	51.00
850-11	6" x 2" Solid Rubber, Oilite	17"	9" x 18 7/8"	40 1/2"	15 1/2"	24 1/2 lbs.	21.50
850-11-41	6" x 2" Solid Rubber, Oilite	17"	9" x 18 7/8"	40 1/2"	15 1/2"	24 1/2 lbs.	24.50
	3" x 3/4" Rubber, Swivel Caster	17"	9" x 18 7/8"	40 1/2"	15 1/2"	24 1/2 lbs.	24.50

SERIES 200 DUAL HANDLE



No. 224-32

Series 200 HARPER Trucks feature the dual handle design preferred by some users. Other than this handle variation, Series 200 is identical to Series

300. Axle brackets and wheels interchange on Series 200 and 300 trucks.

SPECIFICATIONS AND PRICES

Truck No.	Wheel Diameter and Type	Combined Cylinder Diameter Capacity	Base Plate Dimension	Height	Width	Weight	Consumer Price F.O.B. Factory
212-26	12" x 3" Semi-Pneu., B.B.	23"	13" x 24"	43 1/2"	31 "	54 lbs.	51.00
214-27	14" x 2" Semi-Pneu., B.B.	23"	13" x 24"	43 1/2"	31 "	54 lbs.	34.50
216-72	16" x 4" Pneumatic (tube) B.B.	23"	13" x 24"	43 1/2"	35 "	56 lbs.	65.00
218-31	18" x 2 1/2" Steel, Plain	23"	13" x 24"	43 1/2"	31 1/2"	55 lbs.	28.00
224-32	24" x 2 1/2" Steel, Plain	23"	13" x 24"	43 1/2"	31 1/2"	63 lbs.	31.50
230-33	30" x 2 1/2" Steel, Plain	23"	13" x 24"	43 1/2"	33 "	75 lbs.	47.50




No. 410-60

SERIES 400 CONTINUOUS HANDLE — NARROW FRAME

Series 400 HARPER Trucks are similar in design to Series 300. They are made 3" narrower to properly hold in place one 244 cu. ft. standard large oxygen cylinder and one medium size 10 3/4" maxi-

mum diameter acetylene cylinder. Equipped with tool box and cylinder hold chain. Choice of 10" or 14" semi-pneumatic tired wheels or 18" and 24" diameter steel wheels.

Truck No.	Wheel Diameter and Type	Combined Cylinder Diameter Capacity	Base Plate Dimension	Height	Width	Weight	Consumer Price F.O.B. Factory
410-60	10" x 2.75" Semi-Pneu., B.B.	20"	9" x 21"	43 1/2"	28 "	42 lbs.	31.00
414-27	14" x 2" Semi-Pneu., B.B.	20"	9" x 21"	43 1/2"	28 "	48 lbs.	34.00
418-31	18" x 2 1/2" Steel, Plain	20"	9" x 21"	43 1/2"	28 1/2"	50 lbs.	27.50
424-32	24" x 2 1/2" Steel, Plain	20"	9" x 21"	43 1/2"	28 1/2"	58 lbs.	31.00



No. 514-27

SERIES 500 CONTINUOUS HANDLE, WHEELS BEHIND — HIGH FLOOR CLEARANCE

Series 500 HARPER Trucks use the same basic frame as Series 300 models. Come with 10" or 14" semi-pneumatic tired, ball bearing wheels mounted

behind the truck frame to provide a narrow unit and permit greater floor clearance. Come equipped with tool box and cylinder hold chain.

Truck No.	Wheel Diameter and Type	Combined Cylinder Diameter Capacity	Base Plate Dimension	Height	Width	Weight	Consumer Price F.O.B. Factory
510-16	10" x 2.75" Semi-Pneu., B.B.	23"	13" x 24"	45 3/4"	25"	50 lbs.	36.00
514-27	14" x 2" Semi-Pneu., B.B.	23"	13" x 24"	45 3/4"	25"	54 lbs.	38.00



No. 940-72

SERIES 940 CONTINUOUS HANDLE — HEAVY DUTY

Series 940 HARPER Trucks are heavy duty large cylinder models. Fabricated from heavy steel tube and angle iron. Has a heavy base plate. Cylinders secured on truck by exclusive HARPER "Chain-

Lok" take-up feature. Equipped with Lock-Top tool box for storing of torches and regulators without removing from hose. Available with wide assortment of large size wheels.

Truck No.	Wheel Diameter and Type	Combined Cylinder Diameter Capacity	Base Plate Dimension	Height	Width	Weight	Consumer Price F.O.B. Factory
940-72	16" x 4" Pneumatic (tube) B.B.	23"	13" x 24"	48 1/2"	35 "	77 lbs.	91.00
940-30	25" x 5" Pneumatic, Timken B.	23"	13" x 24"	48 1/2"	40 "	137 lbs.	131.00
940-32	24" x 2 1/2" Steel Wheel, Plain	23"	13" x 24"	48 1/2"	30 7/8"	82 lbs.	57.00
940-33	30" x 2 1/2" Steel Wheel, Plain	23"	13" x 24"	48 1/2"	33 3/8"	94 lbs.	73.00



No. 925-30

SERIES 900 CONTINUOUS HANDLE — HEAVY DUTY, WITH LIFT RING AND TOW BAR

Series 900 HARPER Trucks have all of the features of Series 940 plus a center reinforcing column terminating in a combination lift ring or tow bar. Ideal for heavy construction jobs. Can be

lifted and placed by crane boom or be towed behind a truck over rough ground. The ultimate in a heavy duty truck.

Truck No.	Wheel Diameter and Type	Combined Cylinder Diameter Capacity	Base Plate Dimension	Height	Width	Weight	Consumer Price F.O.B. Factory
916-72	16" x 4" Pneumatic (tube) B.B.	23"	13" x 24"	60"	35 "	82 lbs.	96.00
925-30	25" x 5" Pneumatic, Timken B.	23"	13" x 24"	60"	40 "	145 lbs.	136.00
924-32	24" x 2 1/2" Steel Wheel, Plain	23"	13" x 24"	60"	30 7/8"	90 lbs.	62.00
930-33	30" x 2 1/2" Steel Wheel, Plain	23"	13" x 24"	60"	33 1/2"	102 lbs.	78.00



No. 701-16

SERIES 700 CYLINDER HAND TRUCKS

Series 700 HARPER Trucks are versatile units providing a wide range of utility for moving single cylinders of oxygen, acetylene, nitrogen, helium, argon or other gases. Boxed merchandise can also be hauled on the base plate. Series 741, equipped

with a stair crawler, is a newcomer to the line. Cylinder binding chains are standard on all Series 700 Trucks. Choice of semi-pneumatic or full pneumatic tired wheels, all ball bearing.

Truck No.	Wheel Diameter and Type	Base Plate Dimension	Height	Width	Weight	Consumer Price F.O.B. Factory
701-16	10" x 2.75" Semi-Pneu., B.B.	7" x 14"	48"	21"	34 lbs.	30.85
701-17	10" x 3.4" Pneumatic (tube) B.B.	7" x 14"	48"	21"	33 1/2 lbs.	44.45
740-27	14" x 2" Semi-Pneumatic, B.B.	7" x 14"	48"	20"	42 lbs.	36.00
741-16	10" x 2.75" Semi-Pneumatic, B.B.	7" x 14"	48"	21"	46 lbs.	65.50
741-17	10" x 3.4" Pneumatic (tube) B.B.	7" x 14"	48"	21"	45 1/2 lbs.	79.50



No. 742-17

SERIES 742 DOUBLE CYLINDER HAND TRUCKS

Series 742 HARPER Trucks handle two gas cylinders where other 700 Series handle only one cylinder. This series is provided with a double grip handlebar for good control over the heavy weight of two cylinders. Has a floating axle which

can be located in one of two positions for a choice of tilt-back. Equipped with cylinder binding chain; choice of semi-pneumatic or full pneumatic tired ball bearing wheels.

SPECIFICATIONS AND PRICES

Truck No.	Wheel Diameter and Type	Combined Cylinder Diameter Capacity	Base Plate Dimension	Height	Width	Weight	Consumer Price F.O.B. Factory
742-62	10" x 2" Molded Rubber, B.B.	19"	9" x 17"	49 1/2"	22 1/2"	43 lbs.	53.00
742-16	10" x 2.75" Semi-Pneumatic, B.B.	19"	9" x 17"	49 1/2"	22 1/2"	42 1/2 lbs.	40.00
742-17	10" x 3.4" Pneumatic (tube) B.B.	19"	9" x 17"	49 1/2"	22 1/2"	42 lbs.	54.00



No. 612-26

SERIES 600 LIQUID GAS CYLINDER TRUCKS

Series 600 HARPER Trucks handle 3000 cu. ft. No. LC-3 and LS-110 Liquid gas cylinders. Models No. 640-68 and 640-26 in this series handle Ryan No. LOX-3000A Cylinders. All 600 Series feature automatic loading and unloading without the oper-

ator touching the cylinder. No. 601-40 Third Wheel Attachment is available for any 600 Series Truck at additional cost. A selection of 10", 12" and 16" diameter wheels is available for 600 Series Trucks.

Truck No.	Wheel Diameter and Type	For Type Cylinders	Height	Width	Weight	Consumer Price F.O.B. Factory
610-68	10" x 2" Molded Rubber, B.B.	Liq. Oxy. 3000 cu. ft.	58"	23 1/4"	62 lbs.	67.00
612-26	12" x 3" Semi-Pneumatic, B.B.	Liq. Oxy. 3000 cu. ft.	58"	24 3/4"	67 lbs.	72.00
616-72	16" x 4" Pneumatic (tube) B.B.	Liq. Oxy. 3000 cu. ft.	58"	27 3/4"	68 lbs.	92.00
640-68	10" x 2" Molded Rubber, B.B.	Liq. Oxy. 3000 cu. ft.	58"	23 1/4"	53 lbs.	67.00
640-26	12" x 3" Semi-Pneumatic, B.B.	Liq. Oxy. 3000 cu. ft.	58"	24 3/4"	60 lbs.	72.00
601-40	4" x 1" Solid Rubber, Swivel	Third Wheel Attachment Fits All 600 Series			6 lbs.	18.00



No. 861-20

SERIES 860 - 861 "PORTA-CYL" CARRIER AND TRUCK

HARPER "PORTA-CYL" Hand Carriers and Trucks are a unique small package for easily transporting small complete welding and testing outfits. Used by plumbers, refrigeration and air conditioning service men, police and fire departments, railroads, hobbyists. Series 860 Hand Carrier and Series 861 Truck or Carrier have the ex-

clusive HARPER "Chain-Lok Jr." chain take-up feature positively securing the cylinders to the unit. Accommodates cylinders up to 7" in diameter, 24" high. The No. 861 Truck handle retracts so the unit can be carried in a car trunk or other close quarters. Units have everything a large truck has except size and weight.

Truck No.	Wheel Diameter and Type	Combined Cylinder Diameter Capacity	Base Plate Dimension	Height	Width	Weight	Consumer Price F.O.B. Factory
860	"Porta-Cyl" Hand Carrier	11"	6" x 11 3/4"	24 1/2"	13 3/4"	7 1/2 lbs.	15.50
861-20	"Porta-Cyl" Truck 5" x 1.25" S.P. Oilite..	11 1/2"	6" x 12 1/2"	25 1/2" & 40"	15 3/4"	14 lbs.	25.50



No. WB2-23



No. 401

SERIES 401 - 301 STATIONARY CYLINDER HOLDERS SERIES WB1 - WB2 CYLINDER WALL BRACKETS

HARPER Stationary Cylinder Holders and Cylinder Wall Brackets are newcomers to the line. These units can be installed on trucks, on board ship, on large cranes or other equipment where a maintenance welding outfit is kept in one location. Ideal for "one location" or stationary use in fac-

tories, shops or laboratories. Meet insurance requirements. Eliminates the hazard of loose cylinders falling over. All units except the single cylinder Series WB-1 are equipped with the HARPER "Chain-Lok" chain take-up feature. Ready-made units with mounting holes for easy installation.

Model No.	Wheel Diameter and Type	Combined Cylinder Diameter Capacity	Base Plate Dimension	Height	Width	Weight	Consumer Price F.O.B. Factory
401	Stationary Cylinder Holder	20"	9" x 21"	28"	22 1/2"	28 lbs.	24.50
301	Stationary Cylinder Holder	23"	13" x 25"	29"	25"	35 lbs.	27.50
WB1-9	Single Cylinder Wall Bracket	9"			11"	2 1/2 lbs.	4.50
WB2-20	Double Cylinder Wall Bracket.....	20"			22"	8 lbs.	9.50
WB2-23	Double Cylinder Wall Bracket.....	23"			25"	9 lbs.	10.50




No. MG-370

SERIES MG CYLINDER TRUCKS FOR MEDICAL AND LABORATORY GASES

The MG Series of HARPER Trucks offers a model for the easy and safe moving of large 244 cu. ft. gas cylinders on down to the smaller "M" and "D" and "E" size cylinders. The larger MG-270 Truck is for rapid moving of large cylinders; MG-370 has a third wheel landing gear; MG-470 has two caster wheels on the landing gear which automatically falls into place when the truck is tipped

back. Tip-toe release returns rear wheel assembly to retracted position when desired. Model MG-DE71 is a simple two wheel design, taking the size D or E Cylinders. Model MG-M71 takes size "M" cylinders. All units have spring loaded cylinder hold chains encased in a plastic tube to prevent rattling except Model MG-DE71 which does not require it.

Truck No.	Wheel Diameter and Type	Combined Cylinder Diameter Capacity	Base Plate Dimension	Height	Width	Weight	Consumer Price F.O.B. Factory
MG-270	8" x 1.75" Semi-Pneumatic, B.B.	Med. & Lge.	6" x 14"	45 1/2"	19 1/2"	21 lbs.	20.50
MG-370-38	8" x 1.75" S.P.B.B., 3" x 7/8" Rub....	Med. & Lge.	6" x 14"	45 1/2"	19 1/2"	26 lbs.	31.00
MG-470-38	8" x 1.75" S.P.B.B., 3" x 7/8" Rub....	Med. & Lge.	6" x 14"	45 1/2"	19 1/2"	30 lbs.	39.00
MG-DE71	6" x 1.5" Semi-Pneumatic, B.B.	D and E	4 1/2" I.D. Ring	38 1/2"	11"	10 lbs.	14.00
MG-M71	6" x 1.5" Semi-Pneumatic, B.B.	M	7" x 7 1/2"	42"	11"	10 lbs.	15.00



No. LP-314-27

SERIES LP-300 CONTINUOUS HANDLE — WIDE FRAME FOR 100# PROPANE CYLINDERS

HARPER Series LP-300 Trucks are identical to standard Series 300 except the frame is 2" wider to accommodate large 100# Propane cylinders when used in combination with large 244 cu. ft. oxygen cylinders. This combination of cylinders is often

times used around scrap yards and on certain cutting jobs. The LP-300 is available with 14" x 2" semi-pneumatic tired wheels or 18" and 24" steel wheels. Tool box and cylinder hold chain are standard. Marked "LP" on top side of base plate.

Truck No.	Wheel Diameter and Type	Combined Cylinder Diameter Capacity	Base Plate Dimension	Height	Width	Weight	Consumer Price F.O.B. Factory
LP-314-27	14" x 2" Semi-Pneumatic, B.B.	25"	13" x 26"	44 1/2"	33"	58 lbs.	41.50
LP-318-31	18" x 2 1/2" Steel Wheel, Plain	25"	13" x 26"	44 1/2"	33 1/2"	58 lbs.	35.00
LP-324-32	24" x 2 1/2" Steel Wheel, Plain	25"	13" x 26"	44 1/2"	33 1/2"	66 lbs.	38.50

SERIES 90 WHEEL 'N REEL AND DRUM 'N BARREL TRUCKS

Users of the modern welding processes receive materials today on reels and in drums. HARPER'S Wheel 'N Reel Truck makes it easy to wheel or reel heavy reels of welding cable or hose, even when the reel flange is broken. The

Drum 'N Barrel Truck handles heavy drums of "Pay-Pak" welding wire, fluxes and other materials packaged in metal or fibre drums. Move reels and drums easier and safely in your plant.

SPECIFICATIONS AND PRICES

Truck No.	Wheel Diameter and Type	Max. Drum Height	Load Capacity	Height	Width	Weight	Consumer Price F.O.B. Factory
9361	8" x 1.625" Molded Rub., B.B.	23" to 35"	800 lbs.	52"	22"	30 lbs.	53.10
9468	10" x 2" Molded Rubber, B.B.	27" to 44"	1000 lbs.	58 1/2"	24"	42 1/2 lbs.	71.65
9067	8" x 1.625" Molded Rub., B.B.	Reels to 24" Wide and to 40" Diam.	900 lbs.	62 1/2"	30"	75 lbs.	66.75

No. 9067

No. 9468

TOOL BOXES FOR HARPER TRUCKS OR OTHER USES

HARPER No. SO-1 Slip-On Tool Box is furnished as an extra for HARPER Truck Model Nos. 106-22 and all 810, 840 and 850 Series Trucks. The clips on the back of the box slip securely into place on the truck bracket. Box can be tack welded to truck if desired. No. LT-1 Tool Box is a large, heavy duty unit with a lock-top cover.

Available as an extra to be installed only at the factory on Series 200, 300 and 500 HARPER Cylinder Trucks. Makes possible the storing of tools, regulators and torches without disconnecting the hose. Furnished as an individual unit for those who have special application use in the field.

SPECIFICATIONS AND PRICES

Tool Box No.	For Truck Nos.	Length	Width	Depth	Weight	Consumer Price F.O.B. Factory
SO-1	Slip On Type For Model 106-22 and All 800 Series	14 1/4"	4 1/2"	3"	3 lbs.	2.75
LT-1	Lock Top Type For Series 200, 300 and 500	22"	7"	7"	14 3/4 lbs.	8.50

REPLACEMENT WHEELS—SPECIFICATIONS AND PRICES

Cylinder Truck Wheel No.	Diam.	Face	Bore	Type Bearing	Type Tire	Load Capacity	Weight	Consumer Price F.O.B. Factory
11	6"	2"	5/8"	Oilite	Rubber	400 lbs.	3 lbs.	\$ 3.80
15	10"	1.75"	5/8"	B.B.	S.P.	150 lbs.	4.2 lbs.	4.20
16	10"	2.75"	5/8"	B.B.	S.P.	280 lbs.	6 lbs.	7.40
17	10"	3.4"	5/8"	B.B.	Pneu.	340 lbs.	5 3/4 lbs.	15.75
20	5"	1.25"	1/2"	Oilite	S.P.	100 lbs.	1 lb.	1.40
22	6"	1.5"	1/2"	B.B.	S.P.	60 lbs.	1 1/4 lbs.	2.20
23	8"	1.75"	1/2"	B.B.	S.P.	80 lbs.	2.3 lbs.	2.30
26	12"	3"	3/4"	B.B.	S.P.	350 lbs.	11.6 lbs.	16.50
27	14"	2"	3/4"	B.B.	S.P.	200 lbs.	8.3 lbs.	11.00
30	25"	5"	4-Bolt	Pneu.	1250 lbs.	28 1/2 lbs.	38.20	
31	18"	2 1/2"	1"	Plain	Steel	200 lbs.	9 lbs.	9.00
32	24"	2 1/2"	1"	Plain	Steel	200 lbs.	14 1/2 lbs.	12.00
33	30"	2 1/2"	1 5/16"	Plain	Steel	200 lbs.	18 lbs.	18.00
38 Caster	3"	7/8"	1/2" P.T. Stem	Plain	Rubber	115 lbs.	1 lb.	4.00
40 Caster	4"	1"	1/2" P.T. Stem	Plain	Plaskite	125 lbs.	1.4 lbs.	5.40
41 Caster	3"	3/4"	7/16" Stem	Plain	Rubber	90 lbs.	3/4 lb.	1.55
60	10"	2.75"	5/8"	B.B.	S.P.	200 lbs.	5.7 lbs.	5.80
61	8"	1.625"	3/4"	B.B.	M.R.	450 lbs.	3 lbs.	8.80
62	10"	2"	5/8"	B.B.	M.R.	700 lbs.	6 1/4 lbs.	15.75
67	8"	1.625"	5/8"	B.B.	M.R.	450 lbs.	3 lbs.	8.80
68	10"	2"	3/4"	B.B.	M.R.	700 lbs.	6 1/4 lbs.	15.75
70	8"	1.75"	1/2"	B.B.	S.P.	150 lbs.	3 lbs.	3.20
71	6"	1.5"	1/2"	B.B.	S.P.	60 lbs.	1 1/4 lbs.	2.20
72	16"	4"	3/4"	B.B.	Pneu.	600 lbs.	10 lbs.	24.00

D I S T R I B U T E D B Y

HARPER TRUCKS, INC.

Factory: West Harry at Florence

Address Mail to: P. O. Box 33

Wichita, Kansas 67201

Telephone: Area Code 316, Whitehall 3-9367